

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A polymer gel composition comprising:

a swelling liquid; and

a polymer gel which has the characteristic of absorbing and releasing the swelling liquid due to a change in temperature so as to reversibly change a volume of the polymer gel, and includes a crosslinked polymer having at least a hydrogen bonding group,

wherein the crosslinked polymer included in the polymer gel is a copolymer of at least two monomer components including:

~~(meth)acrylamide or a mono-substituted derivative thereof as a monomer component (A), wherein the monomer component (A) is a mono-substituted derivative of an alkyl(meth)acrylamide~~ as a monomer component (A); and

a monomer different from the monomer component (A) as a monomer component (B), wherein the monomer component (B) is selected from the group consisting of a mono-substituted (meth)acrylamide, a di-substituted (meth)acrylamide, a (meth)acrylate derivative and a vinyl type monomer.

2-4. (Canceled)

5. (Original) A polymer gel composition according to claim 1, wherein the monomer component (A) is a mono-substituted derivative of (meth)acrylamide, and the monomer component (B) is selected from a group consisting of (meth)acrylamide, a di-substituted (meth)acrylamide, and a (meth)acrylate derivative.

6. (Original) A polymer gel composition according to claim 1, wherein a pH value of the swelling liquid is from 2 to 7.

7. (Original) A polymer gel composition according to claim 1, wherein the swelling liquid includes at least a water-soluble organic compound.
8. (Original) A polymer gel composition according to claim 7, wherein the water-soluble organic compound is an alcohol.
9. (Original) A polymer gel composition according to claim 1, wherein the swelling liquid includes at least an acidic compound.
10. (Original) A polymer gel composition according to claim 9, wherein the acidic compound is a polymer having a carboxyl group.
11. (Previously Presented) A polymer gel composition according to claim 1, wherein the polymer gel is an interpenetrating polymer network material including at least polymers which form hydrogen bonds with each other.
12. (Original) A polymer gel composition according to claim 11, wherein the IPN material comprises the crosslinked polymer having at least a hydrogen bonding group, and a crosslinked polymer having at least a carboxylic group or a partially neutralized crosslinked polymer of the crosslinked polymer having at least a carboxylic group.
13. (Original) A polymer gel composition according to claim 1, wherein the swelling liquid includes at least an alcohol, and the polymer gel is an IPN material comprising the crosslinked polymer having at least a hydrogen bonding group, and a crosslinked polymer having at least a carboxylic group or a partially neutralized crosslinked polymer of the crosslinked polymer having at least a carboxylic group.
14. (Original) A polymer gel composition according to claim 1, wherein the swelling liquid includes a polymer having at least a carboxyl group, and the polymer gel is an IPN material comprising the crosslinked polymer having at least a hydrogen bonding group, and a crosslinked polymer having at least a carboxylic group or a partially neutralized crosslinked polymer of the crosslinked polymer having at least a carboxylic group.

15. (Original) A polymer gel composition according to claim 1, wherein the polymer gel contains a light-modulation material therein.

16. (Withdrawn, Currently Amended) An optical device comprising:
a polymer gel composition comprising
a swelling liquid, and
a polymer gel which has the characteristic of absorbing and releasing the swelling liquid due to a change in temperature so as to reversibly change a volume of the polymer gel, and includes a crosslinked polymer having at least a hydrogen bonding group; and a substrate sandwiching the polymer gel composition, wherein the crosslinked polymer included in the polymer gel is a copolymer of at least two monomer components including:

~~(meth)acrylamide or a mono-substituted derivative thereof as a monomer component (A), wherein the monomer component (A) is a mono-substituted derivative of an alkyl(meth)acrylamide as a monomer component (A); and~~

a monomer different from the monomer component (A) as a monomer component (B), wherein the monomer component (B) is selected from the group consisting of (meth)acrylamide, a di-substituted (meth)acrylamide, a (meth)acrylate derivative, and a vinyl type monomer.

17. (Currently Amended) A resin composition comprising:
a polymer gel composition comprising
a swelling liquid, and
a polymer gel which has the characteristic of absorbing and releasing the swelling liquid due to a change in temperature so as to reversibly change a volume of the polymer gel, and includes a crosslinked polymer having at least a hydrogen bonding group; and a resin in which the polymer gel composition is dispersed, wherein the crosslinked

polymer included in the polymer gel is a copolymer of at least two monomer components including:

~~(meth)acrylamide or a mono-substituted derivative thereof as a monomer component (A), wherein the monomer component (A) is a mono-substituted derivative of an alkyl(meth)acrylamide~~ as a monomer component (A); and

a monomer different from the monomer component (A) as a monomer component (B), wherein the monomer component (B) is selected from the group consisting of (meth)acrylamide, a di-substituted (meth)acrylamide, a (meth)acrylate derivative, and a vinyl type monomer.

18. (Withdrawn, Currently Amended) An optical film comprising:

a polymer gel composition comprising

a swelling liquid, and

a polymer gel which has the characteristic of absorbing and releasing the swelling liquid due to a change in temperature so as to reversibly change a volume of the polymer gel, and includes a crosslinked polymer having at least a hydrogen bonding group; and a film on which the polymer gel composition is provided, wherein the crosslinked polymer included in the polymer gel is a copolymer of at least two monomer components including:

~~(meth)acrylamide or a mono-substituted derivative thereof as a monomer component (A), wherein the monomer component (A) is a mono-substituted derivative of an alkyl(meth)acrylamide~~ as a monomer component (A); and

a monomer different from the monomer component (A) as a monomer component (B), wherein the monomer component (B) is selected from the group consisting of (meth)acrylamide, a di-substituted (meth)acrylamide, a (meth)acrylate derivative, and a vinyl type monomer.

19. (Currently Amended) A polymer gel composition according to claim 1, wherein the monomer component (A) is ~~a mono-substituted derivative of~~ ethyl(meth)acrylamide.

20. (Currently Amended) An optical device according to claim 16, wherein the monomer component (A) is ~~a mono-substituted derivative of~~ ethyl(meth)acrylamide.

21. (Currently Amended) A resin composition according to claim 17, wherein the monomer component (A) is ~~a mono-substituted derivative of~~ ethyl(meth)acrylamide.

22. (Currently Amended) An optical film according to claim 18, wherein the monomer component (A) is ~~a mono-substituted derivative of~~ ethyl(meth)acrylamide.